



## TEGERA® 113

Leather glove, unlined, 0,6-0,7 mm full grain pigskin, cotton, Cat. II, blue, black, grey, white, reinforced index finger, reinforced fingertips, Velcro®, for fine assembly work

### PROPERTIES

High level of protection, extremely good fingertip sensitivity, durable, good grip, perfect fit

### SPECIFICATION

TYPE OF GLOVE Work gloves - General handling

CATEGORY Cat. II

SIZE RANGE (EU) 7, 8, 9, 10, 11

PALM MATERIAL Full grain pigskin

PALM THICKNESS 0,6-0,7 mm

BACK MATERIAL Cotton

LINING Unlined

DEXTERITY 5

FASTENING Velcro®

LENGTH RANGE 235-275 mm

COLOUR Blue, black, grey, white

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Hook with hangtag

MATERIAL SPECIFICATION Leather, cotton, natural latex

| SIZE | ART. NO. | EAN NO.       |
|------|----------|---------------|
| 10   | 113-10   | 7392626011304 |
| 7    | 113-7    | 7392626011373 |
| 8    | 113-8    | 7392626011380 |
| 9    | 113-9    | 7392626011397 |
| 11   | 113-11   | 7392626062733 |

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



## TEGERA® 113

### FEATURES

Reinforced index finger, reinforced fingertips

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations

### PRIMARY ENVIRONMENTS OF USE

Dry environments, dirty environments

### PRIMARY AREAS OF USE

Assembly, machine operating, building and construction, carpentry, installation work, construction, engineering, transport work, machine driving, warehouse work, airport work, wood industry work, repair work, paper industry work

### PRIMARY INDUSTRIES OF USE

Automotive, transportation, utilities, building and construction, logistics, retail

### TYPE OF WORK

Light weight

**CE** Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2112X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-18

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 113

## EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

| Property                                       | Level Achieved | (Maximum Performance) |
|--|----------------|-----------------------|
| a) Resistance to abrasion (No. of revolutions) | 2              | (4)                   |
| b) Cut resistance (Index)                      | 1              | (5)                   |
| c) Tear resistance (N)                         | 1              | (4)                   |
| d) Puncturing resistance (N)                   | 2              | (4)                   |
| e) Cut resistance, EN ISO 13997 (N)            | X              | (F)                   |
| f) Impact protection, EN 13594:2015            |                | (P)                   |

## EN 388 - Testing

(specifies the requirements that apply for each safety level).

| Level of protection/Performance level          | 1   | 2   | 3    | 4    | 5    |
|--|-----|-----|------|------|------|
| a) Resistance to abrasion (No. of revolutions) | 100 | 500 | 2000 | 8000 |      |
| b) Cut resistance (Index)                      | 1,2 | 2,5 | 5,0  | 10,0 | 20,0 |
| c) Tear resistance (N)                         | 10  | 25  | 50   | 75   |      |
| d) Puncturing resistance (N)                   | 20  | 60  | 100  | 150  |      |

| Level of protection/Performance level | A | B | C  | D  | E  | F  |
|---------------------------------------|---|---|----|----|----|----|
| e) Cut resistance, EN ISO 13997 (N)   | 2 | 5 | 10 | 15 | 22 | 30 |

| Level of protection/Performance level | P                     |
|---------------------------------------|-----------------------|
| f) Impact protection, EN 13594:2015   | Pass (Level 1 < 9 kN) |



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2112X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-18

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com